Table 70--Average Length of Hospital Stay During the Present Admission [1] First and Readmissions in the Resident Population on June 30, 1944 by Diagnosis

Diagnoses	Total			First Admissions			Readmissions		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
With syphilitic meningo-encephalitis	7.32	7.84	7.45	7.19	8.21	7.43	7.62	7.07	7.45
With other forms of syphilis	7.13	10.06	7.95	7.56	11.03	8.67	6.32	6.53	6.36
With epidemic encephalitis	11.32	9.57	10.73	11.13	12.26	11.60	11.45	5.89	9.96
With other infectious diseases	8.95	8.01	8.40	9.89	8.62	9.22	2.50	6.65	5.62
Alcoholic psychoses	10.07	9.02	9.90	10.49	9.31	10.27	9.31	8.47	9.18
Due to drugs, etc.	10.04	4.60	6.74	4.07	5.18	4.75	20.00	3.43	10.53
Traumatic psychoses	6.87	8.04	7.04	7.28	7.83	7.37	6.26	8.53	6.52
With cerebral arteriosclerosis	3.62	4.56	4.08	3.72	4.26	3.98	3.15	5.80	4.53
With other disturbances of circulation	2.63	4.15	3.53	2.50	3.39	3.01	4.12	9.20	7.17
With convulsive disorders (epilepsy)	11.21	13.31	12.24	11.61	14.15	13.11	10.69	12.01	11.24
Senile psychoses	3.01	2.94	3.19	3.34	2.86	3.04	5.41	3.52	4.27
Involutional psychoses	5.52	5.93	5.84	5.55	5.85	5.79	5.46	6.13	5.96
Due to other metabolic diseases, etc.	4.81	7.28	6.32	5.21	6.51	6.05	4.01	10.11	7.06
Due to new growth	1.20	8.68	4.52	1.45	12.87	6.02	.81	4.50	2.65
With organic changes of nervous system	4.91	4.69	4.83	4.67	4.06	4.43	5.34	6.08	5.60
Psychoneuroses	4.50	4.75	4.66	4.21	4.52	4.43	4.81	5.08	4.97
Manic-depressive psychoses	8.43	8.98	8.78	9.40	9.81	9.66	7.80	8.44	8.22
Dementia praecox	13.28	13.42	13.35	14.54	14.91	14.72	11.88	11.76	11.82
Paranoia and paranoid conditions	8.21	9.37	8.99	8.40	9.86	9.37	7.92	8.64	8.41
With psychopathic personality	6.45	7.94	6.98	6.99	10.69	8.25	6.10	6.38	7.36
With mental deficiency	12.35	11.55	12.06	13.06	12.24	12.67	11.43	11.20	11.31
Undiagnosed psychoses	.43	.28	.35	.22	.12	.16	.58	.75	.63
Without psychosis:									
Alcoholism	.20	.12	.17	.25	.12	.19	.12	.12	.12
Drug addiction	.12	-	.12				.12	-	.12
Epidemic encephalitis	12.50	-	12.50				12.50	-	12.50
Psychopathic personality-pathological sexuality	3.81	-	3.81	3.81	-	3.81			
Psychopathic personality-pathological emotionality	.12	.81	.58	.12	.81	.58			
Psychopathic personality-asocial or amoral trends	1.81	.12	1.25	1.81	-	1.81	-	.12	.12
Psychopathic personality-mixed types	.80	.12	.68	.12	.12	.12	3.50	-	3.50
Epilepsy	5.91	1.82	3.35	-	2.50	2.50	5.91	1.65	3.48
Mental deficiency:									
Idiot	16.91	12.68	15.97	19.66	12.68	17.92	.37	-	.37
Imbecile	12.25	15.65	13.70	12.13	17.40	14.59	12.53	7.50	11.02
Moron	15.59	16.91	15.94	17.22	8.53	15.48	13.42	22.50	16.45
Other non-psychotic diseases	3.38	4.62	3.84	3.31	1.96	2.86	3.53	8.16	5.51
No other condition	1.87	3.14	2.65	2.58	3.41	3.13	.81	2.31	1.56
Primary behavior disorders	1.68	1.81	1.71	.86	1.81	.91	4.12	-	4.12
Total with Mental Disorder	10.86	10.79	10.83	11.20	11.12	11.16	10.42	10.36	10.39
Total without Mental Disorder	9.08	8.88	9.01	9.50	8.49	9.12	8.31	9.67	8.78
Grand Total	10.85	10.76	10.82	11.18	11.10	11.14	10.40	10.36	10.38

(See Tables 204 and 205 for detail)

[1] This table considers only the length of time spent in hospitals during the present admission.